Refine Search

Search Results -


Terms	Documents	
L5 and L6	14	

US Pre-Grant Publication Full-Text Database US Patents Full-Text Database

Database:

US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins

Search:











Search History

DATE: Thursday, February 10, 2005 Printable Copy Create Case

Set Name side by side		Hit Count	Set Name result set
$DB=U_{i}$	SPT; PLUR=NO; OP=ADJ		
<u>L7</u>	15 and L6	14	<u>L7</u>
<u>L6</u>	address\$3 with compar\$6	34681	<u>L6</u>
<u>L5</u>	12 and 13 and L4	28	<u>L5</u>
<u>L4</u>	relocat\$5 with address\$3	1324	<u>L4</u>
<u>L3</u>	base adj address	5673	<u>L3</u>
<u>L2</u>	load\$5 with (program or instruction or process) with disk	4073	<u>L2</u>
<u>L1</u>	load\$5 with (program or instruction or process) with "from" with disk	0	L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L9 or L14	4

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L15

Database:

	Refine Search
∇	







Search History

DATE: Thursday, February 10, 2005 Printable Copy Create Case

Set Name Query side by side		Hit Count S	Hit Count Set Name result set	
DB=U	SPT; PLUR=NO; OP=ADJ			
<u>L15</u>	19 or L14	4	<u>L15</u>	
<u>L14</u>	112 and L13	2	<u>L14</u>	
<u>L13</u>	(6681329 or 4758951).pn.	2	<u>L13</u>	
<u>L12</u>	14 and 110	3	<u>L12</u>	
<u>L11</u>	12 and L10	7	<u>L11</u>	
<u>L10</u>	l6 with disk with memory	75	<u>L10</u>	
<u>L9</u>	17 and L8	2	<u>L9</u>	
<u>L8</u>	(6253258 or 6047362).pn.	2	<u>L8</u>	
<u>L7</u>	15 and L6	14	<u>L7</u>	
<u>L6</u>	address\$3 with compar\$6	34681	<u>L6</u>	
<u>L5</u>	12 and 13 and L4	28	<u>L5</u>	
<u>L4</u>	relocat\$5 with address\$3	1324	<u>L4</u>	
<u>L3</u>	base adj address	5673	<u>L3</u>	
<u>L2</u>	load\$5 with (program or instruction or process) with disk	4073	<u>L2</u>	

<u>L1</u> load\$5 with (program or instruction or process) with "from" with disk

<u>L1</u>

END OF SEARCH HISTORY